


DIN 1481 / 1.4310

Spine elastiche, tipo pesante inox




ISO 8752

d1	1	1,5	2	2,5	3	3,5
l / mm						
4	●	●	●	●	●	●
5	●	●	●	●	●	●
6	●	●	●	●	●	●
8	●	●	●	●	●	●
10	●	●	●	●	●	●
12	●	●	●	●	●	●
14	●	●	●	●	●	●
16	●	●	●	●	●	●
18	●	●	●	●	●	●
20	●	●	●	●	●	●
22			●	●	●	●
24			●	●	●	●
26			●	●	●	●
28			●	●	●	●
30			●	●	●	●
32					●	●
36					●	●
40					●	●
CONFEZIONE	1000	1000	1000	1000	1000	1000
<i>a</i>	<i>0,15</i>	<i>0,25</i>	<i>0,4</i>	<i>0,4</i>	<i>0,5</i>	<i>0,6</i>
<i>s</i>	<i>0,2</i>	<i>0,3</i>	<i>0,4</i>	<i>0,5</i>	<i>0,6</i>	<i>0,75</i>
<i>d2</i>	<i>0,8</i>	<i>1,1</i>	<i>1,5</i>	<i>1,8</i>	<i>2,1</i>	<i>2,3</i>

DIN 1481 / 1.4310

Spine elastiche, tipo pesante inox




ISO 8752

d1	4	4,5	5	6	8	10
l / mm						
4	●					
5	●					
6	●	●	●			
8	●	●	●			
10	●	●	●	●	●	●
12	●	●	●	●	●	●
14	●	●	●	●	●	●
16	●	●	●	●	●	●
18	●	●	●	●	●	●
20	●	●	●	●	●	●
22	●	●	●	●	●	●
24	●	●	●	●	●	●
26	●	●	●	●	●	●
28	●	●	●	●	●	●
30	●	●	●	●	●	●
32	●	●	●	●	●	●
36	●	●	●	●	●	●
40	●	●	●	●	●	●
45	●	●	●	●	●	●
50	●	●	●	●	●	●
55			●	●	●	●
60			●	●	●	●
65			●	●	●	●
70			●	●	●	●
75				●	●	●
80				●	●	●
85					●	●
90					●	●
95					●	●
100					●	●
120						●

DIN 1481 / 1.4310

Spine elastiche, tipo pesante inox



ISO 8752

d1	4	4,5	5	6	8	10
l / mm						
CONFEZIONE	500	500	500	500	500	500
			≤ 50	≤ 40	≤ 26	≤ 36
			250	250	250	250
			>50	>40	≤ 85	≤ 60
					200	200
					≤ 90	≤ 70
					100	100
					>90	>70
<i>a</i>	<i>0,65</i>	<i>0,8</i>	<i>0,9</i>	<i>1,2</i>	<i>2</i>	<i>2</i>
<i>s</i>	<i>0,8</i>	<i>1</i>	<i>1</i>	<i>1,25</i>	<i>1,5</i>	<i>2</i>
<i>d2</i>	<i>2,8</i>	<i>2,9</i>	<i>3,4</i>	<i>3,9</i>	<i>5,5</i>	<i>6,5</i>