




## Viti testa esagonale interamente filettate



ISO 4017

d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14
l / mm										
CONFEZIONE	1000	1000	1000 ≤ 35	1000 ≤ 20	500 ≤ 25	500 ≤ 14	500 ≤ 14	100 ≤ 50	50 ≤ 75	50 ≤ 110
			500 ≤ 50	500 ≤ 35	200 ≤ 70	200 ≤ 45	200 ≤ 25	50 ≤ 160	25 ≤ 160	25
			200 >50	200 ≤ 60	100 >70	100 ≤ 110	100 ≤ 70	25 >160	10 >160	
				100 >60		50 >110	50 ≤ 160			
							25 >160			
k	1,4	1,7	2	2,8	3,5	4	5,3	6,4	7,5	8,8
e	4,32	5,45	6,01	7,66	8,79	11,05	14,38	17,77	20,03	24,49
s	4	5	5,5	7	8	10	13	17	19	22
* ISO 4017=SW cambiato M 10, M 12, M 14, M 22										

**Viti testa esagonale interamente filettate**



ISO 4017

d	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
l / mm									
20	●								
25	●	●							
30	●	●	●	●					
35	●	●	●	●					
40	●	●	●	●	●				
45	●	●	●	●	●				
50	●	●	●	●	●	●			
55	●	●	●	●	●	●			
60	●	●	●	●	●	●	●		
65	●	●	●	●	●	●	●		
70	●	●	●	●	●	●	●	●	
75	●	●	●	●	●				
80	●	●	●	●	●	●	●	●	●
85	●								
90	●	●	●	●	●	●	●	●	●
100	●	●	●	●	●	●	●	●	●
110	●	●	●	●	●	●	●	●	●
120	●	●	●	●	●	●	●	●	●
130	●	●	●	●	●	●	●	●	●
140	●	●	●	●	●	●	●	●	●
150	●	●	●	●	●	●	●	●	●
160	●		●		●				
170	●		●		●				
180	●		●		●				
190	●		●		●				
200	●		●		●				
250			●						

**DIN 933 / A2**

**Viti testa esagonale interamente filettate**



ISO 4017

d	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
l / mm									
<b>CONFEZIONE</b>	<b>25</b> ≤ 180	<b>25</b>	<b>25</b> ≤ 180	<b>25</b> ≤ 110	<b>10</b> ≤ 180	<b>10</b>	<b>10</b>	<b>10</b> ≤ 130	<b>5</b>
	<b>10</b> >180		<b>20</b> >180	<b>20</b> ≤ 150	<b>5</b> >180			<b>5</b> >130	
				<b>10</b> >150					
k	10	11,5	12,5	14	15	17	18,7	21	22,5
e	26,75	30,14	33,53	35,72	39,98	45,2	50,85	55,37	60,79
s	23,67	27	30	32	36	41	46	50	55
* ISO 4017=SW cambiato M 10, M 12, M 14, M 22									